

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/537.217	06/09/2009	7544716	078503.0104	2662

21003 759

05/20/2009

BAKER BOTTS L.L.P. 30 ROCKEFELLER PLAZA 44TH FLOOR NEW YORK, NY 10112-4498

## ISSUE NOTIFICATION

The projected patent number and issue date are specified above.

## Determination of Patent Term Adjustment under 35 U.S.C. 154 (b) (application filed on or after May 29, 2000)

(application flied on of after May 29, 2000)

The Patent Term Adjustment is 0 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site http://pair.uspto.gov for additional applicants):

Masaomi Tajimi, Aichi-ken, JAPAN; Toshio Kokubo, Nara-ken, JAPAN;

Masahiro Shiroo, Cambridge, GBN, UNITED KINGDOM;

Yasuhiro Tsukimi, Hyogo-ken, JAPAN; Takeshi Yura, Aichi-ken, JAPAN; Klaus Urbahns, Lund, SWEDEN:

Noriyuki Yamamoto, Osaka-fu, JAPAN;

Muneto Mogi, Nara-ken, JAPAN; Hiroshi Fujishima, Nara-ken, JAPAN;

Tsutomu Masuda, Aichi-ken, JAPAN;

Nagahiro Yoshida, Kyoto-fu, JAPAN;

Toshiya Moriwaki, Nara-ken, JAPAN;